

# Safety Data Sheet

# BELI-CA styropron

**AdhesionsTechnics**  
*Klebt einfach besser Simply amazing glue*

## 1. Identification of the substance/preparation and of the company/undertaking

Trade name: BELI-CA styropron  
Intended use: Cyanoacrylate adhesive  
Company name: AdhesionsTechnics Gregor Kunsemüller  
Melonenstr.29  
70619 Stuttgart  
Emergency information: +49-151-11097700

## 2. Hazards identification

### Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

The product is not classified according to the CLP regulation.

#### Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Xi - Irritant

R36/37/38 Irritating to eyes, respiratory system and skin.

#### Information concerning particular hazards for human and environment

The product has to be labelled due to the calculation of the "General Classification guideline for preparations of the EU" (Directive 1999/45/EC of the European Parliament on of the Council) in the latest version.

#### Classification system

The classification is in line with current EC lists (Council Directive 67/548/EEC). It is supplemented with information from technical Literature and by information furnished by the supplier.

### Label elements

#### Labelling according to EU guidelines

The product is classified and labelled in accordance with EC Directives / Chemicals (Hazard, Information and Packaging for Supply) (CHIP) Regulations.

#### Code letter and hazard designation of product



Xi Irritant

#### Risk phrases

R36/37/38 Irritating to eyes, respiratory system and skin.

#### Safety phrases

S23 Do not breathe vapour.

S24/25 Avoid contact with skin and eyes.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S51 Use only in well-ventilated areas

#### Special labelling of certain preparations

Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

### Other hazards

None if used according to specifications.

#### Results of PBT and vPvB assessment

PBT not applicable

vPvB not applicable

### 3. Composition / information on ingredients

**General chemical description:** Cyanoacrylate adhesive

Hazardous components	Content	Classification
Ethyl-2-cyanacrylat CAS: 7085-85-0 EINECS: 230-391-5	>10%	Xi R36/37/38  Eye Irrit. 2, H319; Skin Irrit. 2, H315; STOT SE 3, H335

For full text of the Statements / Phrases indicated by codes see chapter 16 'Other Information'.

Substances without classification may have community workplace exposure limits available.

### 4. First aid measures

**General information**

No further relevant information available.

**Inhalation**

Fresh air; seek medical attention, if complaint persists

**Skin contact**

Do not pull bonded skin apart. It may be gently peeled apart using a blunt object such as a spoon, preferably after soaking in warm soapy water.

Cyanoacrylates give off heat on polymerization. In rare cases a large amount will generate enough heat to cause a burn. Burns should be treated normally after the adhesive has been removed from the skin.

If lips are accidentally stuck together, apply warm water to the lips and encourage maximum wetting and pressure from saliva inside the mouth. Peel or roll lips apart. Do not force the lips apart with any other kind of action.

**Eye contact**

If the eye is bonded closed, release eyelashes by covering with wet pads soaked with warm water. Cyanoacrylate will bond to eye protein and will cause periods of weeping which will help to debond the adhesive. Keep eye covered until debonding is complete – usually within 1-3 days.

Do not force eye open. Medical advice should be sought in case solid particles of cyanoacrylate or the like are trapped behind the eyelid causing any abrasive damage.

**Swallowing**

Ensure carefully that breathing passages are not obstructed. The product will polymerize immediately in the mouth, hence it is almost impossible to swallow. Saliva will slowly separate the solidified product from the mouth within several hours.

**Information for physician**

Most important symptoms and effects, both acute and delayed

Shortness of breath

Indication of any immediate medical attention and special treatment needed

In case of pulmonary irritation treat initially with dexamethasone metered-dose aerosol.

### 5. Fire fighting measures

**Suitable extinguishing media**

All common extinguishing agents (CO<sub>2</sub>, extinguishing powder, fine water spray/haze, foam) are suitable.

**Extinguishing media, which must not be used for safety reasons**

None known.

**Special hazards arising from the substance or mixture**

Carbon oxides, nitrogen oxides.

**Advice for fire fighters - protective equipment**

Wear self-contained breathing apparatus. Wear protective equipment.

**Additional information**

No further relevant information available.

### 6. Accidental release measures

**Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation. Note instruction in chapter 8.

**Environmental precautions**

Do not empty into drains / surface water / ground water / sewage system. Note instructions in chapter 7.

**Clean-up methods**

Do not use cloths for mopping up. Flood with water to enforce polymerization and scrape off the floor. Cured material can be disposed of as non-hazardous waste.

**7. Handling and storage****Precautions for safe handling**

Good ventilation is recommended when using large volumes. Use of dispensing equipment is recommended to minimize the risk of skin or eye contact.

**Information about protection against explosions and fires**

Keep away from sources of ignition – No smoking.

**Conditions for safe storage, including incompatibilities**

Storage - Requirements to be met by storerooms and containers: Store in original containers between 2°C and 8°C (35.6 - 46.4°F).

Storage - Information about storage in one common storage facility: Do not store with alkalis.

Storage - Further information about storage conditions: Keep container tightly sealed. Store under cool, dry conditions.

**Specific end use(s)**

No further relevant information available.

**8. Exposure controls / personal protection****Components with specific control parameters for workplace**

Valid for Great Britain

Ingredient	ppm	mg/m <sup>3</sup>	type	Category	remarks
Ehtyl-2-cyanoacrylate, CAS: 7085-85-0	0,3	1,5	Short term exposure limit (STEL):		EH40 WEL

**Respiratory protection**

Ensure adequate ventilation.

**Hand protection**

The use of chemical resistant gloves such as Nitrile is recommended. In cases, when a prolonged skin contact or using large volumes is due, the use of polyethylene / polypropylene gloves is recommended. Please note that in practice the working life of chemical resistant gloves may be considerably reduced by many influencing factors (e.g. temperature, manufacturer, environmental conditions). Suitable risk assessment should be carried out by the end user. If signs of wear and tear are noticed the gloves should be replaced.

**Eye protection:**

Wear protective glasses.

**General protection and hygiene measures:**

Good industrial hygiene practices should be observed. Wash hands before work breaks and after finishing work. Do not eat, drink or smoke while working.

**9. Physical and chemical properties****General characteristics**

Appearance liquid  
clear

Odour characteristic

**Physical and chemical properties**

Flash point 87°C (188.6°F)

Ignition temperature / spontaneous combustion no data available / product does not undergo spontaneous combustion

Danger of explosion product is not explosive

Density (20°C, 68°F) 1.05 g/cm<sup>3</sup>

Viscosity dynamic (20°C / 68°F) no data available

Solubility qualitative (20°C, 68°F, solvent water) polymerises in presence of water

VOC-Content (VOCV 814.018 VOC regulation CH) 0.00%

VOC-Content (EC) 0.00%

**10. Stability and reactivity****Reactivity**

Rapid exothermic polymerization will occur in the presence of water, amines, alkalis and alcohols.

**Chemical stability - thermal decomposition, conditions to avoid**

Stable, no decomposition, if used according to specifications.

**Possibility of hazardous reactions**

Rapid exothermic polymerization will occur in the presence of water, amines, alkalis and alcohols.

**Conditions to avoid**

Stable, if used according to specifications.

**Incompatible materials**

Rapid exothermic polymerization will occur in the presence of water, amines, alkalis and alcohols.

**Hazardous decomposition products**

No dangerous decomposition products known.

**11. Toxicological information****General toxicological information**

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations (Directive 1999/45/EC) in the latest version:

Irritant

**Oral toxicity**

Cyanoacrylates are considered to have relatively low toxicity. It is almost impossible to swallow as the product rapidly polymerizes in the mouth.

**Inhalative toxicity**

Irritating to respiratory system.

Prolonged exposure to high concentrations of vapours may lead to chronic effects in sensitive individuals. In dry atmosphere with < 50% relative humidity, vapours may irritate the eyes and respiratory system.

**Skin irritation**

Irritating to skin.

Liquid product bonds skin in seconds. Considered to be low toxic. Due to polymerization at the skin surface allergic reaction is unlikely to occur.

**Eye irritation**

Irritating to eyes.

Liquid product will bond eyelids in seconds. In a dry atmosphere with < 50% relative humidity vapours may irritate eyes and respiratory system.

**12. Ecological information****Toxicity**

No further relevant information available.

**Persistence and degradability**

No further relevant information available.

**Bioaccumulative potential**

No further relevant information available.

**Mobility in soil**

Cured adhesive is immobile.

**General ecological information**

Biological and Chemical Oxygen Demands (BOD and COD) are insignificant. Do not empty into drains / surface water / ground water.

**Results of PBT and vPvB assessments**

PBT not applicable

vPvB not applicable

**Other adverse effects**

No further relevant information available.

**13. Disposal considerations****Waste treatment - recommendation**

Cured adhesive: dispose of as water insoluble non-toxic solid chemical in authorised landfill or incinerate under controlled conditions. Dispose of in accordance with local and national regulations. Contribution of this product to waste is very insignificant in comparison to article in which it is used.

EWC 08 04 09: waste adhesives and sealants containing organic solvents or other dangerous substances

**Uncleaned containers / packaging material**

Liquid residual product / packaging with residual product must not be disposed with household waste. Dispose of packaging according to regulations on the disposal of packaging.

Packaging that cannot be cleaned are to be disposed in uniform manner as the product.

## 14. Transport information

ADR	no dangerous goods
RID	no dangerous goods
ADN	no dangerous goods
IMDG	no dangerous goods
IATA	no dangerous goods

## 15. Regulations

### Chemical safety assessment

A chemical safety assessment has not been carried out.

## 16. Other information

The labelling of the product is indicated in chapter 2.

Full text of the Hazard statements indicated by GHS-codes in this safety data sheet.

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

Full text of the risk phrases indicated by codes in this safety data sheet.

R36/37/38	Irritating to eyes, respiratory system and skin.
-----------	--

### Further information:

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

This Safety Data Sheet was prepared in accordance with Council Directive 67/548(EEC and its subsequent amendments and Commission Directive 1999/45/EC.